

Made in Thailand



**OTANI**®

**DRIVING CONFIDENCE**

# PASSENGER CAR TIRE

CATALOG 2026



[WWW.OTANITIRE.COM](http://WWW.OTANITIRE.COM)

# OTANI GROUP PROFILE

## OTANI Worldwide Community

Tires from Thailand to 100+ Countries



MADE IN THAILAND

1987

Agricultural & Off The Road Tire

2007

Truck & Bus Radial Tire

2017

Passenger Car Tire

2024

Electric Vehicle Tire



### OTANI TIRE CO., LTD.

**Products :** Agricultural Tires (Bias/Radial)  
Off the Road Tires  
Truck and Bus Bias Tires

**Incorporation :** 1986  
**Paid-up capital :** THB 500 Million  
**Address :** 55 Mu 7 Phetkasem Road KM.37,  
Khlongmai, Sam Phran,  
Nakhon Pathom 73110 Thailand

### OTANI RADIAL CO., LTD.

**Products :** Passenger Car Radial Tires  
Truck and Bus Radial Tires

**Incorporation :** 2007  
**Paid-up capital :** THB 3,000 Million  
**Address :** 96 Mu 3 Rimklongbarrai Road,  
Bangkaew, Nakhon Chal Si,  
Nakhon Pathom 73120 Thailand

### CONTACT

**TELL :** +66 3432 5000  
+66 3432 2045-8

**WEBSITE :** WWW.OTANITIRE.COM  
**E-MAIL :** SALES@OTANITIRE.COM  
**OFFICIAL LINE ACCOUNT :** @OTANITIRE  
**FACEBOOK FANPAGE :** OTANI TIRE

# CONTENTS

## OTANI GROUP PROFILE

<b>NEW PATTERN</b>	<b>KC1000<sub>RFT</sub></b> <b>SA6000</b> <b>MK4000</b> <b>MK5000</b> <b>MK6000</b> <b>MK7000 4S</b> <b>EK7000 4S</b>	UHP RUNFLAT TIRE SPORT UTILITY VEHICLE TIRE LIGHT TRUCK AND VAN TIRE LIGHT TRUCK AND VAN TIRE LIGHT TRUCK AND VAN TIRE ALL SEASON TIRE ALL SEASON TIRE	1 3 5 7 9 11 13 15
<b>EV TIRE</b>	<b>KN1000<sub>EV</sub></b>		17
<b>PASSENGER CAR TIRE</b>	<b>EK1000</b> <b>EK2000</b> <b>EK3000</b>		19 21 23
<b>UHP TIRE</b>	<b>KC1000</b> <b>KC2000</b>		25 27
<b>LIGHT TRUCK AND VAN TIRE</b>	<b>MK1000</b> <b>MK2000</b> <b>MK3000</b> <b>RK1000</b>		29 31 33 35
<b>SPORT UTILITY VEHICLE TIRE</b>	<b>BM1000</b> <b>BM2000</b> <b>SA1000</b> <b>SA2000</b> <b>SA2100</b> <b>SA3000</b> <b>SA4000</b> <b>SA5000</b>		37 39 41 43 45 47 49 51
<b>WINTER TIRE</b>	<b>WE1000</b> <b>WK1000</b> <b>WM1000</b> <b>SN1000</b>		53 55 57 59
<b>SPECIAL TRAILER TIRE</b>	<b>ST1000</b> <b>ST2000</b>		61 63

## Tire Information



# KC1000 RFT

ULTRA HIGH PERFORMANCE TIRE



## HIGH-PERFORMANCE RUN-FLAT TIRE

CONFIDENT CONTROL BALANCE OF SAFETY AND SPORTINESS

Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
320	A	A

### Drive with Confidence

Reinforced sidewalls maintain control even after a puncture; continue driving up to 80 km at 80 km/h.

### Optimized Bead Structure

Prevents rim damage during run-flat conditions, ensuring secure tire-rim contact.

### Noise Reduction Technology

Multi-pitch tread design reduces noise frequencies; optimized block shapes deliver a quiet ride.



# KC1000 RFT

ULTRA HIGH PERFORMANCE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
18"	225/40RF18	-	92W XL	630	-	8.0	50	*			
	225/45RF18	-	95W XL	690	-	7.5	50	*			
	225/55RF18	-	102W XL	850	-	7.0	50	*			
	235/55RF18	-	104W XL	900	-	7.5	50	*			
	245/40RF18	-	97W XL	730	-	8.5	50	*			
	245/45RF18	-	100W XL	800	-	8	50	*			
	255/40RF18	-	99W XL	775	-	9	50	*			
275/40RF18	-	103W XL	875	-	9.5	50	*				
19"	225/40RF19	-	93W XL	650	-	8	50	*			
	235/50RF19	-	103V XL	875	-	7.5	50	*			
	235/55RF19	-	105W XL	925	-	7.5	50	*			
	245/40RF19	-	98W XL	750	-	8.5	50	*			
	245/45RF19	-	102W XL	850	-	8.0	50	*			
	245/50RF19	-	105W XL	925	-	7.5	50	*			
	255/35RF19	-	96W XL	710	-	9	50	*			
	255/45RF19	-	104W XL	900	-	8.5	50	*			
	255/50RF19	-	107V XL	975	-	8.0	50	*			
	275/35RF19	-	100W XL	800	-	9.5	50	*			
	285/40RF19	-	107W XL	975	-	10.0	50	*			
20"	245/35RF20	-	95W XL	690	-	8.5	50	*			
	245/40RF20	-	99W XL	775	-	8.5	50	*			
	245/45RF20	-	103W XL	875	-	8	50	*			
	255/40RF20	-	101W XL	825	-	9.0	50	*			
	255/45RF20	-	105W XL	925	-	8.5	50	*			
	265/40RF20	-	104W XL	900	-	9.5	50	*			
	275/35RF20	-	102W XL	850	-	9.5	50	*			
	275/40RF20	-	106W XL	950	-	9.5	50	*			
	275/45RF20	-	110W XL	1060	-	9.0	50	*			
	285/30RF20	-	99W XL	775	-	10.0	50	*			
	285/35RF20	-	104W XL	900	-	10.0	50	*			
285/40RF20	-	108W XL	1000	-	10.0	50	*				
295/35RF20	-	105W XL	925	-	10.5	50	*				
305/40RF20	-	112W XL	1120	-	11.0	50	*				
21"	255/40RF21	-	102W XL	850	-	9.0	50	*			
	265/40RF21	-	105W XL	925	-	9.5	50	*			
	275/40RF21	-	107W XL	975	-	9.5	50	*			
	275/45RF21	-	110W XL	1060	-	9.0	50	*			
	285/35RF21	-	105W XL	925	-	10.0	50	*			
	285/45RF21	-	113W XL	1150	-	9.5	50	*			
	315/35RF21	-	111W XL	1090	-	11.0	50	*			
315/40RF21	-	115W XL	1215	-	11.0	50	*				
22"	275/35RF22	-	104W XL	900	-	9.5	50	*			
	275/40RF22	-	107W XL	975	-	9.5	50	*			
	315/30RF22	-	107W XL	975	-	11.0	50	*			
	315/35RF22	-	111W XL	1090	-	11.0	50	*			

# SA6000

SPORT UTILITY VEHICLE TIRE



## HIGHWAY SUV TIRE

REFINED COMFORT WITH CONFIDENT CONTROL



Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
500	A	A



**Confident Handling**  
Tread design enhances stability, braking confidence, and reduces uneven wear.

**Strong & Efficient**  
Reinforced construction with new compound improves durability and fuel savings.

**Quiet Luxury**  
Multi-Pitch tread design lowers noise, delivering a smooth and comfortable ride.

# SA6000

SPORT UTILITY VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
17"	265/65R17	-	112H	1120	-	8	44	•			

EV TIRE  
PASSENGER CAR TIRE  
ULTRA-HIGH PERFORMANCE  
SPORT UTILITY VEHICLE TIRE  
LIGHT TRUCK AND VAN  
ALL SEASON TIRE  
SPECIAL TRAILER TIRE  
WINTER TIRE

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# MK4000

LIGHT TRUCK AND VAN TIRE



## RELIABLE PICKUP AND VAN TIRE

COMBINATION OF COMFORT, DURABILITY, AND RELIABLE GRIP.



### Superior Braking & Traction

Reinforced tread pattern enhances grip, reducing braking distance and improving control.

### Durable Sidewall Protection

Stronger sidewall compound resists cuts and damage from heavy use.

### Fuel Efficiency

Optimized tread design lowers rolling resistance, ideal for both city and long-distance driving.

# MK4000

LIGHT TRUCK AND VAN TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
15"	215/70R15C	8	109/107S	1030	975	6.5	65	.			

EV TIRE

PASSENGER CAR TIRE

ULTRA-HIGH PERFORMANCE

SPORT UTILITY VEHICLE TIRE

LIGHT TRUCK AND VAN

ALL SEASON TIRE

SPECIAL TRAILER TIRE

WINTER TIRE

# MK5000

LIGHT TRUCK AND VAN TIRE



## PICKUP AND VAN TIRE

DURABLE, RESPONSIVE, AND LONG-LASTING



### Precise Control

Engineered tread pattern and sidewall compound ensure accurate handling under heavy loads.

### Durability

High-mileage tread design built for extended use.

### Wear Resistance

Special compound improves durability and extends tire life.

# MK5000

LIGHT TRUCK AND VAN TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
14"	175/70R14C	10	100/98P	800	750	5	76	•			
15"	195/70R15C	8	104/102S	900	850	6	65	•			
16"	215/75R16C	10	116/114R	1250	1180	6	76	•			
	235/65R16C	10	121/119R	1450	1360	7	83	•			

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# MK6000

LIGHT TRUCK AND VAN TIRE



## DURABLE TIRE FOR LIGHT TRUCKS

BUILT FOR HEAVY LOADS AND LONG SERVICE LIFE



### Enhanced Multi-Surface Traction

Deep shoulder grooves improve grip and traction, ideal for challenging weather conditions.

### Reinforced Load-Bearing Structure

Dual steel belts with nylon reinforcement provide strength, stability, and resistance to irregular wear under heavy loads.

### Extended Tire Life

Continuous shoulder design reduces shoulder wear, ensuring smoother and more uniform tread wear for longer mileage.

# MK6000

LIGHT TRUCK AND VAN TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
13"	LT5.50R13	14	102/100P	850	800	4	105	.			

EV TIRE

PASSENGER CAR TIRE

ULTRA-HIGH PERFORMANCE

SPORT UTILITY VEHICLE TIRE

LIGHT TRUCK AND VAN

ALL SEASON TIRE

SPECIAL TRAILER TIRE

WINTER TIRE

# MK70004S

ALL SEASON TIRE



## ALL-SEASON COMMERCIAL CAR TIRE

SAFETY, DURABILITY, AND QUIET COMFORT



### Wet & Snow Safety

Strong shoulder blocks with 3D sipes ensure precise steering. Wide grooves and transverse sipes evacuate water, snow, and mud quickly.

### Balanced Dry Handling & Wear

Reinforced tread design enhances firm grip, reduce uneven wear and maintaining stability for confident handling.

### Quiet & Comfortable Driving

Four-frequency combination block pattern reduces tread noise, ensuring a quiet, smooth, and comfortable ride.

# MK7000 4S

ALL SEASON TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
15"	215/65R15C	6	104/102T	900	850	6.5	55	•			
	195/70R15C	8	104/102R	900	850	6	65	•			
	205/70R15C	8	106/104R	950	900	6	65	•			
	215/70R15C	8	109/107S	1030	975	6.5	65	•			
	225/70R15C	8	112/110R	1120	1060	6.5	65	•			
16"	195/60R16C	6	99/97H	775	730	6	54	•			
	215/60R16C	6	103/101T	875	825	6.5	54	•			
	195/65R16C	8	104/102T	900	850	6	68	•			
	205/65R16C	8	107/105T	975	925	6	68	•			
	215/65R16C	8	109/107T	1030	975	6.5	68	•			
	225/65R16C	8	112/110R	1120	1060	6.5	68	•			
	235/65R16C	10	121/119R	1450	1360	7	85	•			
	185/75R16C	8	104/102R	900	850	5	68	•			
	195/75R16C	8	107/105R	975	925	5.5	68	•			
	205/75R16C	8	110/108R	1060	1000	5.5	68	•			
	215/75R16C	8	113/111R	1150	1090	6	68	•			
	225/75R16C	10	121/120R	1450	1400	6	85	•			
	215/60R17C	8	109/107T	1030	975	6.5	68	•			

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# EK7000 4S

ALL SEASON TIRE



## ALL-SEASON PASSENGER CAR TIRE

SAFETY, WINTER TRACTION, AND BALANCED COMFORT



### Wet & Winter Safety

Wide grooves and V-shaped channels drain water quickly. High-density silica compound and 3D sipes boost grip on wet, snowy, and icy roads.

### Balanced Dry Handling & Wear

Reinforced "Z" ribs and chamfered grooves increase rigidity, reduce block deformation, and ensure precise steering.

### Quiet & Comfortable Ride

Pitch-variation tread lowers noise frequencies, delivering a smoother and more refined driving experience.

# EK7000 4S

ALL SEASON TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
13"	155/70R13	-	75T	387	-	4.5	44	.			
	165/70R13	-	79T	437	-	5	44	.			
	175/70R13	-	82T	475	-	5	44	.			
	155/80R13	-	79T	473	-	4.5	44	.			
14"	165/60R14	-	75H	387	-	5	44	.			
	185/60R14	-	82H	475	-	5.5	44	.			
	155/65R14	-	75T	387	-	4.5	44	.			
	165/65R14	-	79T	437	-	5	44	.			
	175/65R14	-	86H XL	530	-	5	50	.			
	185/65R14	-	86H	530	-	5.5	44	.			
	165/70R14	-	81T	462	-	5	44	.			
15"	175/70R14	-	88T XL	560	-	5	50	.			
	195/50R15	-	86V XL	530	-	6	50	.			
	185/55R15	-	82H	475	-	6	44	.			
	195/55R15	-	89V XL	580	-	6	50	.			
	165/60R15	-	77H	412	-	5	44	.			
	185/60R15	-	88H XL	560	-	5.5	50	.			
	195/60R15	-	88H	560	-	6	44	.			
	175/65R15	-	84H	500	-	5	44	.			
	185/65R15	-	88H	560	-	5.5	44	.			
	195/65R15	-	91V	615	-	6	44	.			
16"	205/65R15	-	99V XL	775	-	6	50	.			
	195/55R16	-	91V XL	615	-	6	50	.			
	205/55R16	-	94V XL	670	-	6.5	50	.			
	215/55R16	-	97V XL	730	-	7	50	.			
	225/55R16	-	99V XL	775	-	7	50	.			
	205/60R16	-	96V XL	710	-	6	50	.			
	215/60R16	-	99V XL	775	-	6.5	50	.			
	225/60R16	-	102W XL	850	-	6.5	50	.			
	215/65R16	-	102V XL	850	-	6.5	50	.			
	215/70R16	-	104H XL	900	-	6.5	50	.			
17"	235/70R16	-	106T	950	-	7	44	.			
	205/45R17	-	88W XL	560	-	7	50	.			
	225/45R17	-	94W XL	670	-	7.5	50	.			
	205/50R17	-	93W XL	650	-	6.5	50	.			
	225/50R17	-	98W XL	750	-	7	50	.			
	205/55R17	-	95V XL	690	-	6.5	50	.			
	215/55R17	-	98W XL	750	-	7	50	.			
	225/55R17	-	101W XL	825	-	7	50	.			
	235/55R17	-	103H XL	875	-	7.5	50	.			
	215/60R17	-	100H XL	800	-	6.5	50	.			
	225/60R17	-	103V XL	875	-	6.5	50	.			
	225/65R17	-	102H	850	-	6.5	44	.			
18"	225/40R18	-	92Y XL	630	-	8	50	.			
	245/40R18	-	97Y XL	730	-	8.5	50	.			
	225/45R18	-	95Y XL	690	-	7.5	50	.			
	235/45R18	-	98Y XL	750	-	8	50	.			
	245/45R18	-	100Y XL	800	-	8	50	.			
	235/50R18	-	101V XL	825	-	7.5	50	.			
19"	235/60R18	-	107V XL	975	-	7	50	.			
	225/45R19	-	96W XL	710	-	7.5	50	.			
	235/55R19	-	105W XL	925	-	7.5	50	.			

Remark: \*POR (Professional Off Road) Sidewall Variation: BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

EV TIRE

PASSENGER CAR TIRE

ULTRA-HIGH PERFORMANCE

SPORT UTILITY VEHICLE TIRE

LIGHT TRUCK AND VAN

ALL SEASON TIRE

SPECIAL TRAILER TIRE

WINTER TIRE

# KN1000EV

ELECTRIC VEHICLE TIRE



## PREMIUM HIGH-PERFORMANCE TIRE

FOR EVS AND HYBRIDS — QUIET COMFORT, ENERGY EFFICIENCY, AND PRECISE CONTROL

Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
420	A	A

### Responsive Handling & Grip

Kevlar-reinforced cap plies optimize the contact patch and evenly distribute pressure, ensuring sharp steering response and confident control.

### Energy Efficiency & Battery Life

Special tread compound reduces rolling resistance, lowering energy consumption and helping extend battery range without compromising traction.

### Exceptional Quietness

Acoustic foam inside the cavity absorbs structural noise, while the tread pattern minimizes impact sound for a remarkably quiet ride.



# KN1000 EV

ELECTRIC VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
16"	185/55R16	-	87V XL	545	-	6	50	.			
	195/60R16	-	93T XL	650	-	6	50	.			
	205/60R16	-	96V XL	710	-	6	50	.			
	215/60R16	-	99V XL	775	-	6.5	50	.			
17"	205/45R17	-	88W XL	560	-	7	50	.			
	205/50R17	-	93W XL	650	-	6.5	50	.			
	215/50R17	-	95W XL	690	-	7	50	.			
18"	215/55R17	-	98V XL	750	-	7	50	.			
	215/50R18	-	96V XL	710	-	7	50	.			
	215/55R18	-	99V XL	775	-	7	50	.			
	225/50R18	-	99V XL	775	-	7	50	.			
18"	225/60R18	-	104V XL	900	-	6.5	50	.			
	235/45R18	-	98W XL	750	-	8	50	.			
	235/60R18	-	107V XL	975	-	7	50	.			
	275/65R18	-	116H XL	1250	-	8	50	.			
	215/50R19	-	97V XL	730	-	7	50	.			
19"	225/55R19	-	103W XL	875	-	7	50	.			
	235/40R19	-	96W XL	710	-	8.5	50	.			
	235/45R19	-	99W XL	775	-	8	50	.			
	235/50R19	-	103V XL	875	-	7.5	50	.			
	235/55R19	-	105V XL	925	-	7.5	50	.			
	245/40R19	-	98V XL	750	-	8.5	50	.			
	245/45R19	-	102W XL	850	-	8	50	.			
	255/45R19	-	104Y XL	900	-	8.5	50	.			
	255/50R19	-	107V XL	975	-	8	50	.			
	265/35R19	-	98Y XL	750	-	9.5	50	.			
	285/40R19	-	107W XL	975	-	10	50	.			
HL245/40R19	-	101V XL	825	-	8.5	50	.				
20"	235/35R20	-	92Y XL	630	-	8.5	50	.			
	235/45R20	-	100W XL	800	-	8	50	.			
	235/50R20	-	104V XL	900	-	7.5	50	.			
	245/40R20	-	99Y XL	775	-	8.5	50	.			
	245/45R20	-	103W XL	875	-	8	50	.			
	245/50R20	-	105V XL	925	-	7.5	50	.			
	255/40R20	-	101Y XL	825	-	9	50	.			
	255/45R20	-	105Y XL	925	-	8.5	50	.			
	255/55R20	-	110V XL	1060	-	8.0	50	.			
	265/40R20	-	104W XL	900	-	9.5	50	.			
	265/45R20	-	108W XL	1000	-	9	50	.			
	275/45R20	-	110W XL	1060	-	9	50	.			
	275/60R20	-	116H XL	1250	-	8	50	.			
295/45ZR20	-	114W XL	1180	-	10.0	50	.				
HL255/40R20	-	104Y XL	900	-	9	50	.				
21"	265/35R21	-	101Y XL	825	-	9.5	50	.			
	265/40R21	-	105H XL	925	-	9.5	50	.			
	275/35R21	-	103Y XL	875	-	9.5	50	.			
	295/30R21	-	102Y XL	850	-	10.5	50	.			
	305/30R21	-	104Y XL	900	-	11	50	.			
	HL245/35R21	-	99Y XL	775	-	8.5	50	.			
	HL255/35R21	-	101Y XL	825	-	9	50	.			
	HL265/35R21	-	103Y XL	875	-	9.5	50	.			
	HL265/40R21	-	108H XL	1000	-	9.5	50	.			
HL275/35R21	-	105Y XL	925	-	9.5	50	.				
HL305/30R21	-	107Y XL	975	-	11	50	.				
22"	265/35R22	-	102Y XL	850	-	9.5	50	.			
	275/40R22	-	107W XL	975	-	9.5	50	.			
	275/50R22	-	115V XL	1215	-	8.5	50	.			
	285/35R22	-	106Y XL	950	-	10	50	.			
HL285/35R22	-	109Y XL	1030	-	10	50	.				

REMARK : "INSIDE" AND "OUTSIDE" ON THE TIRE SIDEWALL MEAN THAT THE TIRE MUST BE INSTALLED IN THE CORRECT POSITION FOR OPTIMAL PERFORMANCE.

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

EV TIRE  
PASSENGER CAR TIRE  
ULTRA HIGH PERFORMANCE  
SPORT UTILITY VEHICLE TIRE  
LIGHT TRUCK AND VAN  
ALL SEASON  
SPECIAL TRAILER TIRE  
WINTER TIRE

# EK1000

PASSENGER CAR TIRE



## VALUE-DRIVEN PASSENGER CAR TIRE

COMFORT, QUIETNESS, AND FUEL EFFICIENCY

Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
500	A	A



### All-Condition Grip

Asymmetric tread pattern ensures superior performance; large outer blocks improve stability, while inner blocks enhance water drainage.

### Quiet Confidence

Low Noise Groove design and advanced compounds reduce road noise while maintaining strong grip.

### Comfort & Efficiency

Special compound provides a smooth ride and helps reduce fuel consumption.

# EK1000

PASSENGER CAR TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
13"	145/70R13	-	71T	345	-	4.5	44	.			
	165/65R13	-	77V	412	-	5	44	.			
	175/60R13	-	77V	412	-	5	44	.			
	175/70R13	-	82T	475	-	5	44	.		.	
14"	165/60R14	-	75H	387	-	5	44	.			
	165/65R14	-	79T	437	-	5	44	.			
	175/65R14	-	86V XL	530	-	5	50	.			
	175/70R14	-	84V	500	-	5	44	.			
	185/60R14	-	82H	475	-	5.5	44	.			
	185/65R14	-	86V	530	-	5.5	44	.			
	185/70R14	-	88H	560	-	5.5	44	.			
	205/70R14	-	91H	615	-	6	44	.			
15"	205/70R14	-	98H XL	750	-	6	50	.			
	175/50R15	-	75H	387	-	5.5	44	.			
	175/65R15	-	84V	500	-	5	44	.			
	185/55R15	-	82V	475	-	6	44	.			
	185/60R15	-	84H	500	-	5.5	44	.			
	185/65R15	-	88V	560	-	5.5	44	.			
	195/50R15	-	82V	475	-	6	44	.			
	195/55R15	-	85V	515	-	6	44	.			
	195/60R15	-	88V	560	-	6	44	.			
	195/65R15	-	91H	615	-	6	44	.			
	205/65R15	-	94V	670	-	6	44	.			
	205/70R15	-	96V	710	-	6	44	.			
16"	215/70R15	-	98V	750	-	6.5	44	.			
	185/55R16	-	83V	487	-	6	44	.			
	195/50R16	-	84V	500	-	6	44	.			
	195/65R16	-	92V	630	-	6	44	.			
	215/65R16	-	98V	750	-	6.5	44	.			
	225/60R16	-	98H	750	-	6.5	44	.			
	225/65R16	-	100V	800	-	6.5	44	.			
17"	235/65R16	-	103V	875	-	7	44	.			
	215/65R17	-	99H	775	-	6.5	44	.			
	225/60R17	-	99V	775	-	6.5	44	.			
18"	225/60R18	-	100H	800	-	6.5	44	.			

Remark: \*POR (Professional Off Road) Sidewall Variation: BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

EV TIRE  
PASSENGER CAR TIRE  
ULTRA-HIGH PERFORMANCE  
SPORT UTILITY VEHICLE TIRE  
SPORT UTILITY VAN  
LIGHT TRUCK AND VAN  
ALL SEASON TIRE  
SPECIAL TRAILER TIRE  
WINTER TIRE

# EK2000

PASSENGER CAR TIRE



## DURABLE PASSENGER CAR TIRE

EXCELLENT GRIP, CONFIDENT CORNERING, AND LONG-LASTING EFFICIENCY

Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
600	A	A



- Superior Road Performance**  
 Open-shoulder tread disperses water effectively; advanced compound ensures reliable grip in all conditions.
- Noise Reduction Technology**  
 Multi-pitch tread design reduces noise frequencies; optimized block shapes deliver a quiet ride.
- Durability & Fuel Savings**  
 Compound and structure are engineered for extended service life and reduced fuel consumption.

# EK2000

PASSENGER CAR TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
14"	185/65R14	-	86H	530	-	5.5	44	•			
	185/65R15	-	88H	560	-	5.5	44	•			
15"	195/60R15	-	88H	560	-	6	44	•			
	195/65R15	-	91H	615	-	6	44	•			
	205/65R15	-	94H	670	-	6	44	•			
	205/70R15	-	96H	710	-	6	44	•			
16"	215/70R15	-	98H	750	-	6.5	44	•			
	205/55R16	-	91H	615	-	6.5	44	•			
	205/60R16	-	92H	630	-	6	44	•			
	205/65R16	-	95H	690	-	6	44	•			
	215/55R16	-	93H	650	-	7	44	•			
	215/60R16	-	95H	690	-	6.5	44	•			
17"	225/60R16	-	98H	750	-	6.5	44	•			
	215/55R17	-	94H	670	-	7	44	•			

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# EK3000

PASSENGER CAR TIRE



## COMFORT & CONTROL TIRE

SMOOTH COMFORT, QUIET PERFORMANCE, AND EXCELLENT FUEL EFFICIENCY

Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
500	A	A



- Confident Handling**  
 Asymmetric tread pattern enhances control on both wet and dry surfaces, providing safety and stability.
- Noise Reduction Design**  
 Multi-pitch tread blocks disperse sound frequencies, while optimized block shapes reduce road noise for a quieter cabin.
- Eco-Friendly Efficiency**  
 Special tread compound lowers CO<sub>2</sub> emissions and improves fuel economy.

# EK3000

PASSENGER CAR TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL				
				SINGLE	DUAL			BSW	OWL	WL	WSW	
14"	165/65R14	-	79T	437	-	5.0	44	.				
	195/50R15	-	82V	475	-	6	44	.				
	195/55R15	-	85V	515	-	6	44	.				
15"	195/60R15	-	88V	560	-	6	44	.				
	195/65R15	-	91V	615	-	6	44	.				
	205/65R15	-	94V	670	-	6	44	.				
	195/50R16	-	88V XL	560	-	6	50	.				
16"	195/55R16	-	87V	545	-	6	44	.				
	195/60R16	-	89V	580	-	6	44	.				
	205/45ZR16	-	87W XL	545	-	7	50	.				
	205/65R16	-	95V	690	-	6.0	44	.				
	215/45R16	-	90V XL	600	-	7	50	.				
	215/60R16	-	99V XL	775	-	6.5	50	.				
	215/65R16	-	98V	750	-	6.5	44	.				
17"	205/50ZR17	-	93W XL	650	-	6.5	50	.				
	205/55ZR17	-	95W XL	690	-	6.5	50	.				
	215/50ZR17	-	95W XL	690	-	7	50	.				
	215/55ZR17	-	98W XL	750	-	7	50	.				
	215/60ZR17	-	100W XL	800	-	6.5	50	.				
	225/50ZR17	-	98W XL	750	-	7	50	.				
	225/60R17	-	99V	775	-	6.5	44	.				
	245/40ZR17	-	95Y XL	690	-	8.5	50	.				
18"	195/55R18	-	93H XL	650	-	6	50	.				
	215/55R18	-	99V XL	775	-	7	50	.				
	225/50ZR18	-	99W XL	775	-	7	50	.				
	225/55ZR18	-	102Y XL	850	-	7	50	.				
	225/60R18	-	100H	800	-	6.5	44	.				
	235/40ZR18	-	95W XL	690	-	8.5	50	.				
	235/50ZR18	-	101W XL	825	-	7.5	50	.				
19"	235/60R18	-	103H	875	-	7	44	.				
	225/55R19	-	99V	775	-	7	44	.				
	235/55ZR19	-	101W	825	-	7.5	44	.				

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

EV TIRE PASSENGER CAR TIRE ULTRA-HIGH PERFORMANCE SPORT UTILITY VEHICLE TIRE LIGHT TRUCK AND VAN ALL SEASON SPECIAL TRAILER TIRE WINTER TIRE

# KC1000

ULTRA HIGH PERFORMANCE TIRE



## SPORT-INSPIRED UHP TIRE

FOR PRECISION HANDLING, QUIET COMFORT, AND RELIABLE EFFICIENCY

Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
320	AA	A

### Noise Control Technology

Multi-pitch tread design and optimized block shapes reduce noise frequencies, delivering a quiet ride.

### Sharp Steering Response

Reinforced sidewall construction enhances agility, while deep grooves improve water evacuation for safety in wet conditions.

### Enhanced Grip & Efficiency

Special compound improves wet traction and fuel economy; wide shoulder blocks support confident sporty driving.



# KC1000

ULTRA HIGH PERFORMANCE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
15"	185/60R15	-	84V	500	-	5.5	44	*			
	185/65R15	-	88V	560	-	5.5	44	*			
	195/50R15	-	82W	475	-	6	44	*			
	195/55R15	-	85W	515	-	6	44	*			
	195/60R15	-	88V	560	-	6	44	*			
16"	205/55ZR16	-	94W XL	670	-	6.5	50	*			
	205/45ZR17	-	88Y XL	560	-	7	50	*			
17"	205/55ZR17	-	91Y	615	-	6.5	44	*			
	215/45ZR17	-	91Y XL	615	-	7	50	*			
	215/50ZR17	-	95W XL	690	-	7	50	*			
	215/55ZR17	-	98W XL	750	-	7	50	*			
	225/45ZR17	-	94Y XL	670	-	7.5	50	*			
	225/50ZR17	-	98W XL	750	-	7	50	*			
	225/55ZR17	-	101W XL	825	-	7	50	*			
18"	215/45ZR18	-	93Y XL	650	-	7.0	50	*			
	225/40ZR18	-	92W XL	630	-	8.0	50	*			
	225/45ZR18	-	95Y XL	690	-	7.5	50	*			
	225/55ZR18	-	102W XL	850	-	7.0	50	*			
	235/45ZR18	-	98W XL	750	-	8	50	*			
	235/55ZR18	-	104W XL	900	-	7.5	50	*			
	235/60R18	-	107V XL	975	-	7.0	50	*			
	245/40ZR18	-	97W XL	730	-	8.5	50	*			
	245/45ZR18	-	100Y XL	800	-	8	50	*			
	255/40ZR18	-	99W XL	775	-	9	50	*			
	275/40ZR18	-	103Y XL	875	-	9.5	50	*			
19"	225/40ZR19	-	93Y XL	650	-	8	50	*			
	225/45ZR19	-	96Y XL	710	-	7.5	50	*			
	235/35ZR19	-	91Y XL	615	-	8.5	50	*			
	235/50R19	-	103V XL	875	-	7.5	50	*			
	235/55ZR19	-	105W XL	925	-	7.5	50	*			
	245/35ZR19	-	93W XL	650	-	8.5	50	*			
	245/40ZR19	-	98Y XL	750	-	8.5	50	*			
	245/45ZR19	-	102W XL	850	-	8.0	50	*			
	245/50ZR19	-	105W XL	925	-	7.5	50	*			
	255/35ZR19	-	96Y XL	710	-	9	50	*			
	255/45ZR19	-	104W XL	900	-	8.5	50	*			
255/50R19	-	107V XL	975	-	8.0	50	*				
275/35ZR19	-	100Y XL	800	-	9.5	50	*				
285/40ZR19	-	107W XL	975	-	10.0	50	*				
20"	245/35ZR20	-	95W XL	690	-	8.5	50	*			
	245/40ZR20	-	99Y XL	775	-	8.5	50	*			
	245/45ZR20	-	103W XL	875	-	8	50	*			
	255/40ZR20	-	101W XL	825	-	9.0	50	*			
	255/45ZR20	-	105Y XL	925	-	8.5	50	*			
	265/40ZR20	-	104W XL	900	-	9.5	50	*			
	275/30ZR20	-	97W XL	730	-	9.5	50	*			
	275/35ZR20	-	102W XL	850	-	9.5	50	*			
	275/40ZR20	-	106W XL	950	-	9.5	50	*			
	275/45ZR20	-	110W XL	1060	-	9.0	50	*			
	275/50R20	-	113V XL	1150	-	8.5	50	*			
	285/30ZR20	-	99W XL	775	-	10.0	50	*			
	285/35ZR20	-	104W XL	900	-	10.0	50	*			
285/40ZR20	-	108W XL	1000	-	10.0	50	*				
295/35ZR20	-	105W XL	925	-	10.5	50	*				
305/40ZR20	-	112W XL	1120	-	11.0	50	*				
315/35ZR20	-	110Y XL	1060	-	11	50	*				
21"	255/40ZR21	-	102W XL	850	-	9.0	50	*			
	265/40ZR21	-	105W XL	925	-	9.5	50	*			
	275/40ZR21	-	107W XL	975	-	9.5	50	*			
	275/45ZR21	-	110W XL	1060	-	9.0	50	*			
	285/35ZR21	-	105W XL	925	-	10.0	50	*			
	285/45ZR21	-	113W XL	1150	-	9.5	50	*			
	315/35ZR21	-	111W XL	1090	-	11.0	50	*			
315/40ZR21	-	115W XL	1215	-	11.0	50	*				
22"	265/40ZR22	-	106Y XL	950	-	9.5	50	*			
	275/35ZR22	-	104W XL	900	-	9.5	50	*			
	275/40ZR22	-	107W XL	975	-	9.5	50	*			
	315/30ZR22	-	107W XL	975	-	11.0	50	*			
	315/35ZR22	-	111W XL	1090	-	11.0	50	*			

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# KC2000

ULTRA HIGH PERFORMANCE TIRE



## HIGH-PERFORMANCE TIRE

SPORTY CONTROL, SHORTER BRAKING, AND QUIET COMFORT

Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
320	A	A

### Sporty Asymmetric Tread

Optimized tread pattern enhances handling; deep grooves improve wet road safety.

### Efficient Braking & Fuel Use

Special compound shortens braking distance and reduces rolling resistance, improving fuel economy.

### Quiet Ride & Comfort

LNG (Low Noise Groove) design, advanced compounds, and unique tread pattern provide a better grip and confident ride.



# KC2000

ULTRA HIGH PERFORMANCE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL				
				SINGLE	DUAL			BSW	OWL	WL	WSW	
14"	205/60R14	-	88H	560	-	6	44	*				
15"	205/60R15	-	91V	615	-	6	44	*				
16"	205/50ZR16	-	91W XL	615	-	6.5	50	*				
	205/55ZR16	-	94Y XL	670	-	6.5	50	*				
	205/55R16	-	91V	615	-	6	44	*				
	205/60R16	-	92V	630	-	6	44	*				
	215/55ZR16	-	97W XL	730	-	7	50	*				
	215/60R16	-	99V XL	775	-	6.5	50	*				
17"	225/55ZR16	-	99Y XL	775	-	6	50	*				
	205/45ZR17	-	88Y XL	560	-	7	50	*				
	205/50ZR17	-	93Y XL	650	-	6.5	50	*				
	215/45ZR17	-	91W XL	615	-	7	50	*				
	215/50ZR17	-	95W XL	690	-	7	50	*				
	215/55ZR17	-	98W XL	750	-	7	50	*				
	225/45ZR17	-	94Y XL	670	-	7.5	50	*				
	225/50ZR17	-	98Y XL	750	-	7	50	*				
	225/55ZR17	-	101W XL	825	-	7	50	*				
	235/45ZR17	-	97Y XL	730	-	8	50	*				
18"	235/50ZR17	-	96W	710	-	7.5	44	*				
	235/55ZR17	-	103W XL	875	-	7.5	50	*				
	245/45ZR17	-	99Y XL	775	-	8	50	*				
	225/40ZR18	-	92Y XL	630	-	8	50	*				
	225/45ZR18	-	95Y XL	690	-	7.5	50	*				
	225/50ZR18	-	95W	690	-	7	44	*				
	235/45ZR18	-	98W XL	750	-	8	50	*				
	235/50ZR18	-	101W XL	825	-	7.5	50	*				
	235/55ZR18	-	104W XL	900	-	7.5	50	*				
	245/40ZR18	-	97W XL	730	-	8.5	50	*				
19"	245/45ZR18	-	100Y XL	800	-	8	50	*				
	265/35ZR18	-	97W XL	730	-	9.5	50	*				
	225/35ZR19	-	88Y XL	560	-	8	50	*				
	225/55ZR19	-	99W	775	-	7	44	*				
	235/40ZR19	-	96W XL	710	-	8.5	50	*				
	235/45ZR19	-	99W XL	775	-	8	50	*				
	235/50ZR19	-	103Y XL	875	-	7.5	50	*				
	235/55ZR19	-	105W XL	925	-	7.5	50	*				
	245/45ZR19	-	98Y	750	-	8	44	*				
	245/55ZR19	-	103W	875	-	7.5	44	*				
20"	255/35ZR19	-	96Y XL	710	-	9	50	*				
	275/40ZR19	-	105Y XL	925	-	9.5	50	*				
	285/30ZR19	-	98Y XL	750	-	10	50	*				
	235/55ZR20	-	105W XL	925	-	7.5	50	*				
	245/35ZR20	-	95Y XL	690	-	8.5	50	*				
22"	245/45ZR20	-	103W XL	875	-	8	50	*				
	275/40ZR20	-	106W XL	950	-	9.5	50	*				
	265/35ZR22	-	102W XL	850	-	9.5	50	*				
24"	285/45ZR22	-	114W XL	1180	-	9.5	50	*				
	305/40ZR22	-	114W XL	1180	-	11	50	*				
	305/45ZR22	-	118W XL	1320	-	10	50	*				
	305/35ZR24	-	112W XL	1120	-	11	50	*				

REMARK : "INSIDE" AND "OUTSIDE" ON THE TIRE SIDEWALL MEAN THAT THE TIRE MUST BE INSTALLED IN THE CORRECT POSITION FOR OPTIMAL PERFORMANCE.

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

EV TIRE  
PASSENGER CAR TIRE  
ULTRA HIGH PERFORMANCE  
SPORT UTILITY VEHICLE TIRE  
LIGHT TRUCK AND VAN  
ALL SEASON TIRE  
SPECIAL TRAILER TIRE  
WINTER TIRE

# MK1000

LIGHT TRUCK AND VAN TIRE



## DURABLE PICKUP TRUCK TIRE

STRONG STRUCTURE FOR HEAVY LOADS, LONG MILEAGE, AND DEPENDABLE CONTROL



### Heavy-Duty Strength

Robust casing construction enhances durability and supports demanding payloads.

### Extended Mileage

Special tread compound improves wear resistance, delivering longer service life.

### Reliable Handling

Three-groove tread design increases traction, improving braking and acceleration control.

# MK1000

LIGHT TRUCK AND VAN TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
14"	205/75R14C	8	109/107Q	1030	975	5.5	68	•			
	225/75R14C	8	115/113P	1215	1150	6	68	•			
	185R14C	8	102/100Q	850	800	5.5	65	•			
	195R14C	8	106/104Q	950	900	5.5	65	•			
	205R14C	8	109/107Q	1030	975	6	65	•			
15"	225/70R15C	8	112/110S	1120	1060	6.5	65	•			
	225/75R15C	8	116/114Q	1250	1180	6	68	•			
	195R15C	8	108/106S	1000	950	5.5	68	•			

Remark: \*POR (Professional Off Road) Sidewall Variation: BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# MK2000

LIGHT TRUCK AND VAN TIRE



## VERSATILE PICKUP TRUCK & VAN TIRE

SMOOTH COMFORT, QUIET OPERATION, AND LONG-LASTING DURABILITY



### Mileage & Strength

Reinforced casing and special compound extend tire life under heavy use.

### Low Noise Performance

Tread pattern reduces road noise for a quieter cabin.

### Confident Handling

Wide shoulder design improves traction and steering stability.

# MK2000

LIGHT TRUCK AND VAN TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
14"	225/75R14C	8	115/113Q	1215	1150	6	68	.			
	195/70R15C	8	104/102S	900	850	6	65	.			
15"	205/70R15C	8	106/104S	950	900	6	65	.			
	215/70R15C	8	109/107S	1030	975	6.5	65	.			
	225/70R15C	8	112/110S	1120	1060	6.5	65	.			
	225/75R15C	8	110/108Q	1060	1000	6	55	.			
	195/65R16C	8	104/102S	900	850	6	68	.			
	195/65R16C	8	104/102T	900	850	6	68	.			
	195/75R16C	8	107/105S	975	925	5.5	68	.			
16"	195/75R16C	10	110/108T	1060	1000	5.5	76	.			
	205/65R16C	8	107/105S	975	925	6	68	.			
	205/65R16C	8	107/105T	975	925	6	68	.			
	215/65R16C	8	106/104S	950	900	6.5	55	.			
	215/65R16C	8	109/107T	1030	975	6.5	68	.			
	215/70R16C	8	108/106S	1000	950	6.5	55	.			
	215/75R16C	8	113/111R	1150	1030	6	68	.			
	215/75R16C	10	116/114R	1250	1180	6	76	.			
	225/65R16C	8	112/110S	1120	1060	6.5	68	.			
	225/65R16C	8	112/110T	1120	1060	6.5	68	.			
	235/65R16C	10	121/119R	1450	1360	7	85	.			
	205R16C	8	110/108S	1060	1000	6	65	.			

Remark: \*POR (Professional Off Road) Sidewall Variation: BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

EV TIRE

PASSENGER CAR TIRE

ULTRA HIGH PERFORMANCE

SPORT UTILITY VEHICLE TIRE

LIGHT TRUCK AND VAN

ALL SEASON TIRE

SPECIAL TRAILER TIRE

WINTER TIRE

# MK3000

LIGHT TRUCK AND VAN TIRE



## DURABLE PICKUP TRUCK & VAN TIRE

ROBUST DESIGN FOR SUPERIOR GRIP, TRACTION, AND MILEAGE



**Strong Pattern Design**  
Rugged tread blocks provide grip and traction in demanding conditions.

**Enhanced Traction & Handling**  
Square, wide shoulders ensure stability and control.

**Longer Mileage**  
Wide footprint and special compound deliver even wear, high mileage, and reduced energy use.

# MK3000

LIGHT TRUCK AND VAN TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
14"	195R14C	8	106/104S	950	900	5.5	65	•			•
	205R14C	8	109/107Q	1030	975	6	65	•			•
15"	195R15C	8	106/104Q	950	900	5.5	65	•			•

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# RK1000

LIGHT TRUCK AND VAN TIRE



## TIRE FOR PICKUP TRUCKS

STRONG, DURABLE, AND SAFE WITH LONG SERVICE LIFE



### Durability & Heavy Load Support

Robust structure and special tread compound extend tire life and withstand demanding payloads.

### Effective Water Evacuation

Four-groove tread pattern disperses water efficiently, reducing hydroplaning risk at high speeds.

### Stable Steering & Handling

Wide shoulders improve control on both wet and dry roads, enhancing safety.

# RK1000

LIGHT TRUCK AND VAN TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
16"	LT215/85R16	10	115/112S	1215	1120	6	80	•			
	LT225/75R16	10	115/112S	1215	1120	6	80	•			
	LT235/85R16	10	120/116S	1380	1260	6.5	80	•			
	LT245/75R16	10	120/116S	1380	1260	7	80	•			
17"	LT265/75R16	10	123/120S	1550	1400	7.5	80	•			
	LT235/80R17	10	120/117S	1400	1285	6.5	80	•			
18"	LT245/70R17	10	119/116S	1360	1250	7	80	•			
	LT245/75R17	10	121/118S	1450	1320	7	80	•			
19"	LT265/70R17	10	123/120S	1550	1400	8	80	•			
	LT275/65R18	10	121/118S	1450	1320	8	80	•			

Remark: \*POR (Professional Off Road) Sidewall Variation: BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

EV TIRE  
PASSENGER CAR TIRE  
ULTRA HIGH PERFORMANCE  
SPORT UTILITY VEHICLE TIRE  
LIGHT TRUCK AND VAN  
ALL SEASON TIRE  
SPECIAL TRAILER TIRE  
WINTER TIRE

# BM1000

SPORT UTILITY VEHICLE TIRE



## HIGH-PERFORMANCE SUV TIRES

PRECISE AND RESPONSIVE HANDLING WITH MAXIMUM SAFETY

Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
300	A	A



### Wet Road Confidence

Curved drainage grooves and a large central channel disperse water quickly, enhancing safety on wet surfaces.

### Superior Handling & Cornering

Large outer tread blocks increase road contact, delivering precise cornering and responsive control.

### Shorter Braking Distance

Small inner tread blocks and sipes improve braking performance and driving stability.

# BM1000

SPORT UTILITY VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
17"	265/65R17		116V XL	1250	-	8	50	•			
	225/60R18		104V XL	900	-	6.5	50	•			
18"	235/40R18		95V XL	690	-	8.5	50	•			
	235/45R18		98V XL	750	-	8	50	•			
	235/55R18		104V XL	900	-	7.5	50	•			
	245/40R18		97V XL	730	-	8.5	50	•			
	245/45R18		100V XL	800	-	8	50	•			
	255/45R18		103V XL	875	-	8.5	50	•			
	255/50R18		106V XL	950	-	8	50	•			
	255/55R18		109V XL	1030	-	8	50	•			
	265/35R18		97V XL	730	-	9.5	50	•			
	265/60R18		114V XL	1180	-	8	50	•			
20"	275/40R18		103V XL	875	-	9.5	50	•			
	265/50R20		111V XL	1090	-	8.5	50	•			

EV TIRE  
PASSENGER CAR TIRE  
ULTRA-HIGH PERFORMANCE  
SPORT UTILITY VEHICLE TIRE  
LIGHT TRUCK AND VAN  
ALL SEASON TIRE  
SPECIAL TRAILER TIRE  
WINTER TIRE

REMARK : "INSIDE" AND "OUTSIDE" ON THE TIRE SIDEWALL MEAN THAT THE TIRE MUST BE INSTALLED IN THE CORRECT POSITION FOR OPTIMAL PERFORMANCE.

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# BM2000

SPORT UTILITY VEHICLE TIRE



## HIGH-PERFORMANCE SPORT TIRES

AN EXHILARATING DRIVE WITH OUTSTANDING DESIGN

Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
180	AA	A



### Excellent Grip

Special tread compound and grooves provide superior traction on dry and wet surfaces, dispersing water quickly to reduce braking distance.

### Confident Cornering

Wider tread and optimized shoulder blocks deliver secure cornering performance.

### Responsive Handling

Reinforced structure enhances steering response and confident driving.

# BM2000

SPORT UTILITY VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
17"	265/65R17		116V XL	1250	-	8	50	•			
	225/60R18		104V XL	900	-	6.5	50	•			
18"	235/40R18		95V XL	690	-	8.5	50	•			
	235/45R18		98V XL	750	-	8	50	•			
	235/55R18		104V XL	900	-	7.5	50	•			
	245/40R18		97V XL	730	-	8.5	50	•			
	245/45R18		100V XL	800	-	8	50	•			
	255/45R18		103V XL	875	-	8.5	50	•			
	255/50R18		106V XL	950	-	8	50	•			
	255/55R18		109V XL	1030	-	8	50	•			
	265/35R18		97V XL	730	-	9.5	50	•			
	265/60R18		114V XL	1180	-	8	50	•			
20"	275/40R18		103V XL	875	-	9.5	50	•			
	265/50R20		111V XL	1090	-	8.5	50	•			

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# SA1000

SPORT UTILITY VEHICLE TIRE



## HIGHWAY SUV TIRE FOR ALL SEASONS

EXCELLENT GRIP, COMFORTABLE DRIVING, AND LOW FUEL CONSUMPTION



Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
500	A	A



### All-Season SUV Design

Specially engineered tread for SUVs ensures confident driving on both dry and wet roads.

### Stable Cornering & Handling

Tread structure enhances stability and smooth handling, even at high speeds.

### Quiet Comfort

Multi-Pitch tread design reduces noise frequencies, ensuring a quiet and comfortable ride.

# SA1000

SPORT UTILITY VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL					
				SINGLE	DUAL			BSW	OWL	WL	WSW		
15"	235/75R15	-	109H XL	1030	-	6.5	50	.	.				
	205/70R16	-	97H	730	-	6	44	.					
	215/70R16	-	100H	800	-	6.5	44	.					
16"	235/60R16	-	100H	800	-	7	44	.					
	235/70R16	-	106H	950	-	7	44	.					
	245/70R16	-	111H XL	1090	-	7	50	.					
	255/70R16	-	111H	1090	-	7.5	44	.					
	265/70R16	-	112H	1120	-	8	44	.					
	265/75R16	-	116T	1250	-	7.5	44	.					
	275/70R16	-	114H	1180	-	8.0	44	.					
17"	215/60R17	-	96H	710	-	6.5	44	.					
	225/65R17	-	106H XL	950	-	6.5	50	.					
	235/60R17	-	102H	850	-	7	44	.					
	235/65R17	-	104H	900	-	7	44	.					
	245/65R17	-	111H XL	1090	-	7	50	.					
	245/70R17	-	110H	1060	-	7	44	.					
	255/65R17	-	114H XL	1180	-	7.5	50	.					
	265/65R17	-	112H	1120	-	8	44	.					
	265/65R17	-	116H XL	1250	-	8	50	.					
	265/70R17	-	115H	1215	-	8	44	.					
	275/40R17	-	98H	750	-	9.5	44	.					
275/65R17	-	115H	1215	-	8.0	44	.						
285/65R17	-	116H	1250	-	8.5	44	.						
18"	215/55R18	-	95H	690	-	7	44	.					
	225/55R18	-	98H	750	-	7	44	.					
	235/60R18	-	107H XL	975	-	7	50	.					
	235/65R18	-	106H	950	-	7	44	.					
	245/60R18	-	105H	925	-	7	44	.					
	255/55R18	-	109H XL	1030	-	8	50	.					
	255/60R18	-	112H XL	1120	-	7.5	50	.					
	255/65R18	-	111T	1090	-	7.5	44	.					
	265/60R18	-	114H XL	1180	-	8	50	.					
	265/60R18	-	114H XL	1180	-	8	50	.					
	265/70R18	-	116H	1250	-	8.0	44	.					
275/65R18	-	116H XL	1250	-	8	50	.						
285/60R18	-	116H	1250	-	8.5	44	.						
19"	235/55R19	-	101H	825	-	7.5	44	.					
	255/50R19	-	107H XL	975	-	8	50	.					
	255/60R19	-	109H	1030	-	7.5	44	.					
20"	265/55R19	-	113V XL	1150	-	8.5	50	.					
	255/50R20	-	109H XL	1030	-	8	50	.					
	265/50R20	-	111H XL	1090	-	8.5	50	.					
	265/55R20	-	113V XL	1150	-	8.5	50	.					
	275/55R20	-	117H XL	1285	-	8.5	50	.					
	275/60R20	-	115H	1215	-	8	44	.					
285/50R20	-	116H XL	1250	-	9.0	50	.						
21"	275/50R21	-	113H XL	1150	-	8.5	50	.					
22"	265/50R22	-	112H XL	1120	-	8.5	50	.					
	275/50R22	-	115T XL	1215	-	8.5	50	.					

Remark: \*POR (Professional Off Road) Sidewall Variation: BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

EV TIRE  
PASSENGER CAR TIRE  
ULTRA-HIGH PERFORMANCE  
SPORT UTILITY VEHICLE TIRE  
LIGHT TRUCK AND VAN  
ALL SEASON TIRE  
SPECIAL TRAILER TIRE  
WINTER TIRE

# SA2000

SPORT UTILITY VEHICLE TIRE



## OFF-ROAD SUV TIRE

STRONG AND DURABLE, READY FOR EVERY ROAD CONDITION



Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
640	A	B



### Durability on Rough Terrain

Special compound reduces tearing, enhancing strength for rugged use.

### All-Surface Grip

3D tread technology improves traction on wet roads, mud, and light snow.

### Strong Sidewalls

Reinforced shoulder area with thick rubber compound protects against off-road damage.

# SA2000

SPORT UTILITY VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
16"	265/70R16	-	112S	1120	-	8	44	.			
	265/75R16	-	116R	1250	-	7.5	44	.			
	LT245/70R16	8	113/110S	1150	1060	7	65	.			
	LT245/70R16*	10	118/115Q	1320	1215	7	80	.		.	
	LT255/70R16*	10	120/117Q	1400	1285	7.5	80	.			
	LT265/70R16*	10	121/118Q	1450	1320	8	80	.		.	
	LT265/75R16*	8	119/116Q	1360	1250	7.5	65	.			
	LT265/75R16	10	123/120R	1550	1400	7.5	80	.			
17"	265/65R17	-	116S XL	1250	-	8	50	.			
	LT265/65R17	10	120/117Q	1400	1285	8	80	.		.	
18"	265/60R18	-	110S	1060	-	8	44	.			
	LT265/60R18*	10	119/116Q	1360	1250	8	80	.		.	
	LT265/65R18*	8	117/114Q	1285	1180	8	65	.		.	
	LT285/65R18	10	125/122R	1650	1500	8.5	80	.			
	LT285/65R18*	8	121/118Q	1450	1320	8.5	65	.		.	
20"	265/50R20*	-	111Q XL	1090	-	8.5	50	.		.	
	265/50R20	-	111S XL	1090	-	8.5	50	.			
	LT275/55R20	10	120/117S	1400	1285	8.5	80	.			
	LT275/55R20*	10	120/117Q	1400	1285	8.5	80	.		.	

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# SA2100

SPORT UTILITY VEHICLE TIRE



## OFF-ROAD SUV TIRE WITH SNOW STUDS

STRONG AND DURABLE, READY FOR EVERY ROAD CONDITION



Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
640	A	B



### Traction & Low Noise

Special tread block design improves grip while reducing noise.

### Snow & Mud Control

Small sipes enhance traction on slippery surfaces; snow studs can be fitted for extreme winter conditions.

### Reinforced Sidewalls

Thick shoulder compound protects against cuts and impacts during off-road use.

# SA2100

SPORT UTILITY VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
15"	265/70R15	-	116T XL	1250	-	6.5	50	.			
	31X10.50R15LT	6	109S	1030	-	8.5	50	.			
	31X10.50R15LT*	6	109Q	1030	-	8.5	50	.		.	
16"	LT235/85R16	10	120/116Q	1400	1250	6.5	80	.			
17"	265/70R17	-	116T XL	1250	-	8	50	.			
	33X12.50R17LT*	10	120Q	1400	-	10	65	.		.	
	35X12.50R17LT*	10	121Q	1450	-	10	65	.		.	
	LT285/70R17	6	116/113Q	1250	1150	8.5	50	.			
18"	LT285/70R17	10	121/118S	1450	1320	8.5	80	.			
	33X12.50R18LT*	10	118Q	1320	-	10	65	.		.	
	35X12.50R18LT*	8	118Q	1320	-	10	50	.		.	
	35X12.50R18LT	10	123Q	1550	-	10	65	.			
	LT275/65R18	10	123/120S	1550	1400	8	80	.			
20"	LT275/70R18	10	125/122S	1650	1500	8	80	.			
	LT275/70R18*	6	115/112Q	1215	1120	8	50	.			
	275/55R20	-	117T XL	1285	-	8.5	50	.			
	275/60R20	-	116T XL	1250	-	8	50	.			
	33X12.50R20LT*	12	119Q	1360	-	10	80	.		.	
	35X12.50R20LT*	10	121Q	1450	-	10	65	.		.	
	35X12.50R20LT	12	125Q	1650	-	10	80	.			
LT275/65R20	10	126/123S	1700	1550	8	80	.				
LT285/55R20	10	122/119S	1500	1360	9	80	.				
LT285/60R20	10	125/122S	1650	1500	8.5	80	.				

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# SA3000

SPORT UTILITY VEHICLE TIRE



## ON-OFF ROAD SUV TIRE

COMFORTABLE RIDE, QUIETNESS, AND LOW FUEL CONSUMPTION



Uniform Tire Quality Grading		
Treadwear	Traction	Temperature
540/640	B	A



### Grip Performance

Four deep grooves deliver excellent traction on both paved and off-road surfaces.

### All-Condition Safety

3D tread technology enhances grip on wet, muddy, and snowy roads.

### Effective Water Evacuation

Shoulder tread design improves drainage, reducing slippage.

# SA3000

SPORT UTILITY VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
15"	225/70R15	-	100T	800	-	6.5	44	.	.		
	235/70R15	-	106T XL	950	-	7	50	.	.		
	235/75R15	-	109T XL	1030	-	6.5	50	.	.		
	255/70R15	-	108T	1000	-	7.5	44	.	.		
16"	235/70R16	-	109T XL	1030	-	7	50	.	.		
	245/70R16	-	111T XL	1090	-	7	50	.	.		
	265/70R16	-	112T	1120	-	8	44	.	.		
	265/75R16	-	116S XL	1250	-	7.5	50	.	.		
17"	285/75R16	-	116T	1250	-	8.0	44	.	.		
	265/65R17	-	112T	1120	-	8	44	.	.		
	285/70R17	-	117T	1285	-	8.5	44	.	.		
18"	315/70R17	-	116T	1250	-	9.5	44	.	.		
	255/65R18	-	111T	1090	-	7.5	44	.	.		
	265/60R18	-	114T XL	1180	-	8	50	.	.		
20"	275/65R18	-	116T XL	1250	-	8	50	.	.		
	275/70R18	-	116T	1250	-	8.0	44	.	.		
	255/55R20	-	110T XL	1060	-	8	50	.	.		
	265/50R20	-	111S XL	1090	-	8.5	50	.	.		
	275/55R20	-	117T XL	1285	-	8.5	50	.	.		

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# SA4000

SPORT UTILITY VEHICLE TIRE



## ULTIMATE OFF-ROAD SUV TIRE

DURABLE AND READY FOR HEAVY-DUTY USE



### Tear Resistance & Traction

Special compound resists tread tearing; open shoulder blocks enhance off-road grip.

### Open Shoulder Design

Strong block layout improves mud shedding and traction.

### Reinforced Structure

Thick shoulder compound protects against impact damage during heavy off-road use.

# SA4000

SPORT UTILITY VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
20"	33X12.50R20LT*	10	114Q	1180	-	10	65	•			
	33X12.50R20LT*	12	119Q	1360	-	10	80	•		•	
	35X12.50R20LT*	10	121Q	1450	-	10	65	•			
	35X12.50R20LT*	12	125Q	1650	-	10	80	•			

EV TIRE

PASSENGER CAR TIRE

ULTRA-HIGH PERFORMANCE

SPORT UTILITY VEHICLE TIRE

LIGHT TRUCK AND VAN

ALL SEASON TIRE

SPECIAL TRAILER TIRE

WINTER TIRE

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# SA5000

SPORT UTILITY VEHICLE TIRE



## OFF-ROAD SUV TIRE

EXTRA STRENGTH WITH SMOOTH COMFORT FOR EVERY ADVENTURE



### Durable Compound

Tear-resistant compound provides traction and reduces noise.

### Stone Ejectors & Mud Shedding

Special blocks prevent punctures and eject compacted mud, maintaining grip.

### Heavy-Duty Reliability

Reinforced tread compound enhances wear resistance for long off-road service.

# SA5000

SPORT UTILITY VEHICLE TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
16"	LT265/70R16*	10	121/118Q	1450	1320	8	80	.	.	.	.
17"	LT265/65R17	10	120/117Q	1400	1285	8	80	.	.	.	.
18"	LT265/60R18*	10	119/116Q	1360	1250	8	80	.	.	.	.
20"	33X12.50R20LT*	10	114Q	1180	-	10	65	.	.	.	.
	LT265/50R20*	10	115/112Q	1215	1120	8.5	80	.	.	.	.
	LT275/55R20*	10	120/117Q	1400	1285	8.5	80	.	.	.	.

EV TIRE

PASSENGER CAR TIRE

ULTRA-HIGH PERFORMANCE

SPORT UTILITY VEHICLE TIRE

LIGHT TRUCK AND VAN

ALL SEASON TIRE

SPECIAL TRAILER TIRE

WINTER TIRE

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# WE1000

WINTER TIRE



## COMFORT WINTER TIRE

SMOOTH RIDE AND CONFIDENT DRIVE ON SNOWY ROADS



### Superior Winter Control

Increased void ratio in tread design enhances snow evacuation and reduces hydroplaning risk.

### Improved Grip & Braking

Variable depth tread provides strong traction and shorter braking distances on snow-covered roads.

### Silica-Resin Compound

Enhances snow grip, ensures safety, and prolongs tire life.

# WE1000

WINTER TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
14"	175/65R14	-	82T	475	-	5	44	•			
	175/70R14	-	84T	500	-	5	44	•			
	175/70R14	-	88T XL	560	-	5	50	•			
	185/60R14	-	82T	475	-	5.5	44	•			
	185/65R14	-	86T	530	-	5.5	44	•			
15"	185/60R15	-	84T	500	-	5.5	44	•			
	185/60R15	-	88T XL	560	-	5.5	50	•			
	185/65R15	-	88H	560	-	5.5	44	•			
	185/65R15	-	88T	560	-	5.5	44	•			
	195/55R15	-	85H	515	-	6	44	•			
	195/55R15	-	89H XL	580	-	6	50	•			
	195/60R15	-	88T	560	-	6	44	•			
	195/65R15	-	91H	615	-	6	44	•			
	195/65R15	-	91T	615	-	6	44	•			
	205/65R15	-	94H	670	-	6	44	•			
16"	195/55R16	-	87H	545	-	6	44	•			
	195/55R16	-	91H XL	615	-	6	50	•			
	205/60R16	-	92H	630	-	6	44	•			
	205/60R16	-	96H XL	710	-	6	50	•			
	215/60R16	-	99H XL	775	-	6.5	50	•			
	215/65R16	-	98H	750	-	6.5	44	•			
	215/65R16	-	102H XL	850	-	6.5	50	•			

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# WK1000

WINTER TIRE



## HIGH PERFORMANCE WINTER TIRE

SUPERIOR GRIP AND CONTROL ON SNOWY ROADS



### Directional Stability

Directional tread and wide center blocks enhance stability and handling on snow-covered surfaces.

### Cornering Confidence

Wide shoulder blocks deliver excellent grip and improved traction when turning on snow.

### Silica-Resin Compound

Provides strong snow traction, maximum safety, and extended service life.

# WK1000

WINTER TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
16"	205/55R16	-	91H	615	-	6.5	44	•			
	205/55R16	-	94V XL	670	-	6.5	50	•			
	215/55R16	-	97H XL	730	-	7	50	•			
	215/55R16	-	97V XL	730	-	7	50	•			
	225/55R16	-	99V XL	775	-	6	50	•			
17"	205/50R17	-	93V XL	650	-	6.5	50	•			
	215/45R17	-	91V XL	615	-	7	50	•			
	215/55R17	-	98V XL	750	-	7	50	•			
	225/45R17	-	94H XL	670	-	7.5	50	•			
	225/45R17	-	94V XL	670	-	7.5	50	•			
	225/50R17	-	98V XL	750	-	7	50	•			
	225/55R17	-	97H	730	-	7	44	•			
	225/55R17	-	101V XL	825	-	7	50	•			
	225/60R17	-	99V	775	-	6.5	44	•			
	225/60R17	-	103H XL	875	-	6.5	50	•			
	225/65R17	-	102H	850	-	6.5	44	•			
	225/65R17	-	106H XL	950	-	6.5	50	•			
	235/55R17	-	103H XL	875	-	7.5	50	•			
235/55R17	-	103V XL	875	-	7.5	50	•				
18"	225/40R18	-	92V XL	630	-	8	50	•			
	225/55R18	-	102H XL	850	-	7	50	•			
	225/55R18	-	102V XL	850	-	7	50	•			
	235/55R18	-	104H XL	900	-	7.5	50	•			
	235/55R18	-	104V XL	900	-	7.5	50	•			
245/40R18	-	97V XL	730	-	8.5	50	•				

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# WM1000

WINTER TIRE



## WINTER TIRE FOR COMMERCIAL CARS

STRONG, DURABLE, AND SAFE ON SNOWY ROADS



### Durable Tread Design

Four-block tread structure supports heavy loads, extends tire life, and delivers excellent grip.

### Efficient Snow Evacuation

Wide longitudinal grooves create open channels for faster snow clearance.

### Square Shoulder Construction

Ensures optimal footprint and better tread contact for improved grip on snowy roads.

# WM1000

WINTER TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
15"	195/70R15C	8	104/102S	900	850	6	65	•			
	215/70R15C	8	109/107S	1030	975	6.5	65	•			
	225/70R15C	8	112/110S	1120	1060	6.5	65	•			
16"	195/75R16C	10	110/108R	1060	1000	5.5	75	•			
	205/65R16C	8	107/105T	975	925	6	68	•			
	215/65R16C	8	109/107R	1030	975	6.5	68	•			
	235/65R16C	8	115/113R	1215	1150	7	68	•			
	235/65R16C	10	121/119R	1450	1360	7	85	•			

EV TIRE

PASSENGER CAR TIRE

ULTRA HIGH PERFORMANCE

SPORT UTILITY VEHICLE TIRE

LIGHT TRUCK AND VAN

ALL SEASON TIRE

SPECIAL TRAILER TIRE

WINTER TIRE

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# SN1000

WINTER TIRE



## DURABLE WINTER TIRE

STRONG, DURABLE AND SAFETY ON SNOWY ROADS



### Enhanced Snow Performance

Optimized tread pattern and flexible compound improve traction, braking, and handling in snowy conditions.

### Quick Snow Evacuation

Wide longitudinal grooves create open channels that clear snow rapidly, maintaining grip.

### Silica-Resin Compound

Improves snow traction, ensures maximum safety, and extends tire life.

# WM1000

WINTER TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
16"	235/65R16C	10	121/119R	1450	1360	7	85	•			

EV TIRE

PASSENGER CAR TIRE

ULTRA HIGH PERFORMANCE

SPORT UTILITY VEHICLE TIRE

LIGHT TRUCK AND VAN

ALL SEASON TIRE

SPECIAL TRAILER TIRE

WINTER TIRE

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall


# ST1000

SPECIAL TRAILER TIRE



## SPECIAL TRAILER TIRE

DURABLE UNDER HEAVY LOADS



### Enhanced Durability

New compound and reinforced body ply structure extend service life under heavy use.

### Special Groove Design

Provides strong traction and helps prevent damage from road hazards.

### Reinforced Sidewall

Stronger sidewall prevents over-flexing, maintaining better road contact when loaded.

# WM1000

SPECIAL TRAILER TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL				
				SINGLE	DUAL			BSW	OWL	WL	WSW	
16"	ST235/80R16	10	124/120M	1600	1400	6.5	85	•				

EV TIRE

PASSENGER CAR TIRE

ULTRA HIGH PERFORMANCE

SPORT UTILITY VEHICLE TIRE

LIGHT TRUCK AND VAN

ALL SEASON TIRE

**SPECIAL TRAILER TIRE**

WINTER TIRE

# ST2000

SPECIAL TRAILER TIRE



## SPECIAL TRAILER TIRE

EXCELLENT TRACTION AND SAFETY



### Superior Water Evacuation

Four wide longitudinal grooves disperse water quickly, improving safety in wet conditions.

### Excellent Grip & Traction

Soft intermediate ribs enhance grip and traction on varied surfaces.

### Reinforced Sidewall Strength

Strong sidewall construction prevents over-flexing, ensuring better road contact under load.

# ST2000


SPECIAL TRAILER TIRE

RIM DIAMETER	TIRE SIZE	PR	LI/SS	MAX LOAD (KG)		RIM WIDTH (INCH)	MAX INFLATION PRESSURE (PSI)	SIDEWALL			
				SINGLE	DUAL			BSW	OWL	WL	WSW
13"	ST175/80R13	8	97/93M	730	650	5	65	•			
	ST185/80R13	8	99/95M	755	690	5	65	•			
14"	ST205/75R14	8	105/101M	925	825	5.5	65	•			
	ST215/75R14	8	108/103M	1000	875	6	65	•			
15"	ST205/75R15	8	107/102M	975	850	5.5	65	•			
	ST205/75R15	10	109/104M	1030	900	5.5	80	•			
16"	ST225/75R15	10	117/112M	1285	1120	6	80	•			
	ST235/80R16	12	127/122M	1750	1500	6.5	100	•			

Remark : \*POR (Professional Off Road) Sidewall Variation : BSW = Black sidewall, OWL = Outline white letter, WL = White letter, WSW = White sidewall

# TIRE INFORMATION

## STRUCTURE PASSENGER CAR TIRE



## SIDEWALL MARKINGS



- 1 OTANI Brand Logo
- 2 DOT Code
- 3 Tire Construction Type
- 4 Pattern Name
- 5 Tire Size
- 6 Max. Load and Pressure
- 7 Load Index and Speed Symbol
- 8 Tire Construction
- 9 Safety Warning

## SPEED SYMBOL


➤ Speed Symbol indicates the maximum speed at which the tire can carry a load corresponding to its load index under service conditions designed by the tire manufacturer.

SPEED SYMBOL EQUIVALENT TABLE

SPEED SYMBOL	Q	R	S	T	U	H	V	W	Y	ZR
SPEED (km/h)	160	170	180	190	200	210	240	270	300	>240

## TIRE ROTATION

➤ Tire rotation is undertaken to ensure that the tires wear evenly. Even tire wear is also important for balanced handling. You should rotate your tires recommended by the vehicle manufacturer, or every 5,000 – 8,000 miles (or ≈ 8,000–13,000 km). Regular tire rotation helps extend the life of your tires and improve performance. For your safety and money saving, please follow 4 main tire rotation patterns below:



## TIRE INFLATION

- **One of the most important aspects of tire maintenance is proper inflation.**  
Sufficient inflation is needed to carry the load avoid damage. Driving with improper inflation (particular grossly under inflated or over inflated tires) is dangerous and can cause critical damage or sudden failure of the tire(s).
- **Proper inflation should be maintained and checked at least once a week and before a long distance drive.**  
It is also advisable to take into account maximum load and diving conditions when setting inflation pressure. Compensation for heavier loads can be made by increasing inflation pressure, but do not exceed maximum inflation for the tire or maximum load.
- **Under-inflation**  
It causes increased treadwear on the outside edges (or shoulders) of the tire. It also generates excessive heat, which reduces tire durability. Finally it reduces your fuel economy by increasing rolling resistant-soft tires make your vehicle work harder.
- **Over-inflation**  
Too much air pressure causes center of the tread to bear majority of vehicle's weight, which leads to faster deterioration and uneven wear.



**OTANI**®  
**DRIVING CONFIDENCE**

## OTANI RADIAL CO.,LTD.

96 MU 3 RIMKLONGBANRAI ROAD,  
BANGKAEW, NAKHON CHAI SI,  
NAKHON PATHOM 73120 THAILAND  
Tel : +66 3432 7555

WEBSITE :  
E-MAIL :  
OFFICIAL LINE ACCOUNT :  
FACEBOOK FANPAGE :

WWW.OTANITIRE.COM  
SALES@OTANITIRE.COM  
@OTANITIRE  
OTANI TIRE